

Amendments to the Claims:

1. (currently amended) A data carrier system comprising a first data carrier selectively couplable to a communications device and a second data carrier selectively couplable to the communications device in preference to the first data carrier, the first data carrier being arranged to be decoupled from the communications device when the second data carrier is coupled to the communications device; and during a predetermined period of time the communications device is arranged to be ensured of a supply of power by maintaining the supply of power to the communications device in response to a command to extinguish the supply of power to the communications device and the second data carrier is arranged to be decoupled from the communications device, ~~thereby causing wherein~~ the first data carrier ~~to be~~ is coupled to the communications device for the initiation and execution of a communication task requiring involving information in the first data carrier.

2. (canceled).

3. (currently amended) A system as claimed in claim 1, wherein the communications device is actuatable between a powered state and an unpowered state, the communications device being arranged to be actuated from the unpowered state to the powered state at a predetermined interval for substantially at least the predetermined period of time, wherein the first data carrier is coupled to the device to undertake a communication to update information in the first data carrier.

4. (currently amended) A system as claimed in ~~any one of the preceding claims~~ claim 1, ~~further comprising means for receiving the first data carrier, wherein the first data carrier is arranged to be substantially permanently in engagement with the means for receiving the first data carrier~~ wherein the first data carrier is coupled to the device to undertake a communication to update information in the first data carrier.

5. (previously presented) A system as claimed in claim 1, wherein at least one of the group of the first data carrier and the second data carrier is a smartcard.

6. (currently amended) A system as claimed in ~~claim 5, wherein the smartcard is a~~ Subscriber Identity Module 1, ~~wherein the communication task involves calling a particular phone number stored in the first data carrier.~~

7. (currently amended) A method of operating a data carrier system including a first data carrier selectively couplable to a communications device and a second data carrier selectively couplable to the communications device in preference to the first data carrier, the first data carrier being arranged to be decoupled from the communications device when the second data carrier is coupled to the communications device, the method comprising the steps of:  
during a predetermined period of time, ensuring a supply of power to the communications device by maintaining the supply of power to the communications device in response to a command to extinguish the supply of power to the communications device, and decoupling the second data carrier from the communications device, ~~thereby causing coupling the first data carrier to be coupled to the communications device;~~  
for the execution of initiating and executing a communication task requiring involving information in the first data carrier.
8. (canceled).
9. (currently amended) A method as claimed in Claim 7, wherein the communications device is actuatable between a powered state and an unpowered state, and further comprises actuating the communications device from the unpowered state to the powered state at a predetermined interval for substantially at least the predetermined period of time, wherein the first data carrier is coupled to the device to undertake a communication to update information in the first data carrier.
10. (currently amended) A method as claimed in claims 7 ~~or 9~~, ~~further comprising providing means for receiving the first data carrier, and substantially permanently engaging the first data carrier with the means for receiving the first data carrier~~ wherein the first data carrier is coupled to the device to undertake a communication to update information in the first data carrier, whereafter the communication device is powered down.
11. (currently amended) A method as claimed in claim 7, wherein at least one of the first data carrier and second data carrier is a smartcard.
12. (currently amended) A method as claimed in claim 7, wherein ~~the second data carrier is a smartcard~~ wherein the communication task involves calling a particular phone number stored in the first data carrier.

13. (currently amended) A method as claimed in Claim 11 ~~or Claim 12~~, wherein the smartcard is a contactless smartcard.

14. (currently amended) A method as claimed in claims 11 ~~or 12~~ wherein the smartcard is a Subscriber Identity Module.

15. (previously presented) A method as claimed claim 7, further comprising providing location determining means.

16. (previously presented) A method as claimed in Claim 15, wherein the location determining means is a Global Positioning System receiver.

17. (currently amended) A method as claimed claim 7, wherein the communication task is to update data stored in the first data carrier using the communications device.

18. (previously presented) A method as claimed in claim 17 wherein the data to be updated includes addresses to be used in conjunction with vehicle applications.

19. (previously presented) A method as claimed in claim 18 wherein the vehicle applications include one or both of security call and emergency call applications.

20. (previously presented) A system as claimed in claim 1, further comprising a location determining receiver.

21. (previously presented) A system as claimed in claim 20, wherein the location determining receiver is a Global Positioning System receiver.

22. (previously presented) A system as claimed in claim 1, further comprising means for receiving the first data carrier, wherein the first data carrier is arranged to be substantially permanently in engagement with the means for receiving the first data carrier.

23. (currently amended) A vehicle incorporating a data carrier system comprising a first data carrier selectively couplable to a communications device and a second data carrier selectively couplable to the communications device in preference to the first data carrier, the first data carrier being arranged to be decoupled from the communications device when the second data carrier is coupled to the communications device; and during a predetermined period of time the communications device is arranged to be ensured of a supply of power by maintaining the supply of power to the communications device in response to a command to extinguish the supply of power to the communications device and the second data carrier is arranged to be decoupled from the communications device, ~~thereby causing wherein~~ the first data carrier ~~to be~~ is coupled to the communications device for the initiation and execution of a communication task requiring involving information in the first data carrier.

24. (currently amended) A cellular telephone incorporating a data carrier system comprising a first data carrier selectively couplable to a communications device and a second data carrier selectively couplable to the communications device in preference to the first data carrier, the first data carrier being arranged to be decoupled from the communications device when the second data carrier is coupled to the communications device; and during a predetermined period of time the communications device is arranged to be ensured of a supply of power by maintaining the supply of power to the communications device in response to a command to extinguish the supply of power to the communications device and the second data carrier is arranged to be decoupled from the communications device, ~~thereby causing wherein~~ the first data carrier ~~to be~~ is coupled to the communications device for the initiation and execution of a communication task requiring involving information in the first data carrier.